

000 Newton 000 Scientific Avante

Avante 40 Series

A B

CEN2503-BR01840

Avante 40 Series Mutlifunction Centrifuge

Versatile, high-throughput sample processing from $196 \times 2-7$ ml blood tubes to 6×250 ml centrifuge bottles per run. Save time and ensure sample integrity with fast acceleration and deceleration rates, combined with smooth runs at all speeds.

Adjustable Acceleration and Deceleration

15 rates available for to ensure the unit provide the best acceleration and deceleration profile to ensure your samples get the best separation.

Ergonomic Design

Touchscreen interface with bright, highly visible, and durable display simplifies run set-up.



DISPLAY

Large Multi-color Touchscreen Display provide clear indication of running condition including rotor, speed, RCF, time etc.



The glove friendly touchscreen display gives you ease of control and a modern feel. An advanced microprocessor controls allow for setting/displaying of the rotational speed in either RPM or RCF. It is splash-proof and protects the inner electronics from external elements.

PERFORMANCE

There are 15 rates available for customised acceleration and deceleration profile plus zero brake for each of your programble). Ensuring your samples get the best separation. Frequency variable motor drive system enable the unit to operate in a stable and quiet manner. Pre-cool function allows set temperature to be reached rapidly.

Precise centrifugation is achieved using the "At set rpm" function. The timer starts when the selected rotational speed is reached. As a result, different runs can be more easily reproduced.

FLEXIBILITY

Our bench top high speed bench top centrifuges simplify high-throughput sample processing with up to **27,376 x g,** simplify high-throughput sample processing with maximized capacity up to 4×750 ml bottles, and an extensive rotor portfolio. Supporting labware from blood vacutainer tubes, conical centrifuge tubes, bottles to microplates. Overcome challenges of a shared laboratory setting with the productivity, safety, and reliability of a Newton Scientific Centrifuge.

Precision metal components for both shaft and rotor ensure reliable performance and long life

CONVENIENT

Newton Scientific centrifuge enable the users to edit and store up to 40 programs with combination of speed, centrifugal force, running time, acceleration/ deceleration rate which is sufficient for all users in a lab.

SAFETY

Enhanced safety provided by electronic door lock and protection against imbalance, over speed and over heat. These three layers of protection ensure safety of the machine and user.





Ordering Information and Specifications



| Model | Avante 40R | Avante 40FR | |
|-----------------|-----------------------|--------------------|--|
| Cat. No. | 88001840 | 88001841 | |
| Max. Speed | 16000 rpm | | |
| RPM Accuracy | ±10 rpm | | |
| Max. RCF | 27,376 x g | | |
| Max. Capacity | 4 x 1000 ml | | |
| Set Time | 1 s to 99 h 59 m 59 s | | |
| Temp. Range | -20 °C to 40 °C | | |
| Temp. Accuracy | ±1.0 °C | | |
| Stored Programs | 99 | | |
| Run Records | 99 | | |
| Dimension | 770 x 680 x 470 mm | 580 x 720 x 820 mm | |
| Weight | 145 Kg | 155 Kg | |
| Power Supply | AC 200-240V, 50Hz | | |
| Power (W) | 2300W | | |
| Sound Level | ≤ 65dBA | | |





Rotors & Accessories

| Cat. No. | Descriptions | Max. Speed (RPM) | Max. RCF (x g) |
|----------|---|---------------------|-------------------|
| 88304815 | Angle Rotor, 48 × 1.5/2.0 ml (Dual Row) | 16,000 | 27,376 |
| 88303015 | Angle Rotor, 30 × 1.5/2.0 ml | 15,500 | 27,110 |
| 86005030 | Adaptor, 0.2 ml PCR tube (24 pcs) | | |
| 86005031 | Adaptor, 0.5 ml PCR tube (24 pcs) | | |
| 88301505 | Angle Rotor, 18 × 5 ml | 15,000 | 22,043 |
| 88300850 | Angle Rotor, 8 x 50 ml Conical/Round (Includes 15ml Conical Adapters, 8 pcs) | 12,000 | 16,241 |
| 88301250 | Angle Rotor, 12 x 50 ml Conical/Round (Includes 15ml Conical Adapters, 12 pcs) | 10,000 | 15,964 |
| 88213008 | Adapters for 15 ml Con (1pc) | | |
| 88213009 | Adapters for 10 ml (1 pc) | | |
| 88213010 | Adapters for 5 ml (1 pc) | | |
| 88213011 | Adapters for 1.5/2 ml (1 pc) | | |
| 88306100 | Angle Rotor, 6 x 100 ml | 11,000 | 14,779 |
| 88213012 | Adapters for 50 ml (1 pc) | | |
| 88213013 | Adapters for 15 ml (1 pc) | | |
| 88213014 | Adapters for 2 x 10 ml (1 pc) | | |
| 88213015 | Adapters for 3 x 5 ml (1 pc) | | |
| 88213016 | Adapters for 4 x 1.5/2 ml (1 pc) | | |
| 88306250 | Angle Rotor, 6 x 250 ml | 10,000 | 15,132 |
| 88213075 | Adapters for 100 ml (6 pcs) | | |
| 88213076 | Adapters for 50 ml (6 pcs) | | |
| 88213077 | Adapters for 15 ml (6 pcs) | | |
| 88213078 | Adapters for 2 x 10 ml (6 pcs) | | |
| 88213079 | Adapters for 3 x 5 ml (6 pcs) | | |
| 88213080 | Adapters for 4 x 1.5/2 ml (6 pcs) | | |
| 88341000 | Swing-out Rotor with 4 x 1000ml buckets | 4,200 | 3,938 |
| 88341001 | Adapter for 50ml Conical (set of 4) - 40 tubes per run | | |
| 88341002 | Adapter for 15ml Conical (set of 4) - 96 tubes per run | | |
| 88341003 | Adapter for 4×750 ml Flat Bottom | | |
| 88341004 | Adapter for 4 × 500ml Flat Bottom | | |
| 88341005 | Adapter for 4 × 500ml Conical, Corning Style | | |
| 88341006 | Adapter for 4 × 250ml Conical, Corning Style | | |
| 88341007 | Adapter for 8 \times 250ml Flat Bottom, Nalgene Style | | |
| 88341008 | Adapter for 140 × 10 ml Blood Tube | | |
| 88341009 | Adapter for 196 × 2-7 ml Blood Tube | | |
| 88341010 | Adapter for 450/500 ml Blood Bags (4 pcs) | | |
| 88341011 | Deep Well Plate/MTP (set of 4) | | |

*We provide custom solutions for specialise containers and vessels. Contact us with your requirement!



Unit 2, New Horizon Business Centre, Barrows Road, Harlow, Essex, United Kingdom, CM19 5FN info@newton-scientific.com www.newton-scientific.com

